




PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	American Standard (PRC) "Acacia Evolution" Chrome plated basin mixer with ECO handle and click technology to save water and energy; nominated flow rate <b>6.8 L/min</b> in WELS Grade 2; Registration No. TM 18-0227
Dimensions	L140 x W44 x H138 mm
Model	CF-1301.101.50
Finish	Chrome Plated
Manufacturer	American Standard (PRC)
Source	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Mr. Wilson Hung
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012
E-mail	acme@acmesanitary.com.hk
Website	www.acmesanitary.com.hk

Illustration/ Drawing



Dynamic flow pressure (kPa)	50	150	250	350	500
Flow rate (l/min)	3.60	6.33	7.00	7.10	7.00



**PREVENTS WATER WASTAGE**

By providing a resistance midway when lifting the lever, this technology gives you better water volume control, saving you precious water.

**Note:** Equivalent to WF-1301.101.50 / FFAS1301-101500BC0



\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 18-0227




自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明  
This is to certify that

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

- 牌子 / Brand : American Standard
- 型號 / Model : CF-1301.101.50
- 種類 / Type : Mixing
- 原產地 / Country or Region Origin : China

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	: 	滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	: 2	
耗水量 <i>Water Consumption</i>	: 6.8	公升/分鐘 <i>litres/minute</i>

簽發日期 : 27 August 2018  
Date of Issue:

 水務署  
Water Supplies Department



水務署署長(鍾兆榮代行)  
for Director of Water Supplies



水務署  
Water Supplies Department

總部 Headquarters  
香港灣仔告士打道七號入境事務大樓 48 樓  
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號  
Our ref.  
來函檔號  
Your ref.



電話  
Tel. :  
傳真  
Fax. : 2824 0578

12 April 2024



**Approval of "AMERICAN STANDARD" Basin Mixer  
(General Acceptance No. C20240239)**

Your E-Application [file-id: ETJ-GA-20240126-206] dated 31 January 2024 and subsequent submission received by this department on 20 March 2024 refer.

Having considered the test report ref. 222320PC220189 issued on 14 November 2022 by Fugro Technical Services Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Jiangmen LIXIL AS Sanitary Fitting Manufacturing Co Ltd

**Country of Origin:** the Mainland of China

**Brand:** American Standard

**Details of Fitting:** 1/2" Single lever basin mixer

**Model:** CF-1301.101.50

**Body Markings:** *American Standard*



**Expiry Date:** 25 August 2027

This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue  
ME/MC ] - with soft copy only