

## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012  ${\bf Email: acme@acmes an itary. com. hk}$ Since 1949 Website: www.acmesanitary.com.hk

# American Standard

| PROJECT  | REF  | REV | ITEM<br>CODE |  |
|----------|------|-----|--------------|--|
| LOCATION | DATE |     | PAGE         |  |

### SANITARY WARE SPECIFICATION SHEET

| Item Descriptions  | American St<br>Evolution" (<br>mixer; Nom<br>WELS Grad<br>0113 | Chrome<br>inated f | plated 8<br>low rate | 8-inch ba<br>2 <b>4.5 L/r</b> | <b>nin</b> in    | Illustration/ Drawing |
|--|--|--------------------|----------------------|-------------------------------|------------------|-----------------------|
| Dimensions   | 117mm spou   | ıt long            |                      |                               | ACME AUMARY WARE |                       |
| Model  | CF-1303.101.50 (Mixer)<br>40.8351.010 (Aerator)                |                    |                      |                               |                  |                       |
| Material/Finish  | Brass/ Chron   | me Plat            | ed                   |                               |                  |                       |
| Manufacturer   | American St  | tandard            | (PRC)                |                               | 11               |                       |
| Source   | Acme Sanita<br>Mr. Eric Wo                                     | •                  |                      |                               |                  | 3                     |
| Contact Tel/Fax  | (852) 2388-  |                    |                      |                               |                  |                       |
| E-mail   | acme@acmesanitary.com.hk                                       |                    |                      |                               |                  |                       |
| Website  | www.acmes  | anıtary.           | com.hk               |                               | 200              |                       |
| 5.00<br>4.50<br>4.00<br>4.00<br>4.00<br>5.00<br>5.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00 |  |                    |                      |                               |                  | 30                    |
| 1.50<br>1.00   |  |                    |                      |                               |                  | Ø 54                  |
| 0.50   |  |                    |                      |                               |                  |                       |
| 0.00 0 100   | 200<br>Dynamic flo   | 300<br>w pressur   | 400<br>e (kPa)       | 500                           | 600              | Max150                |
| Dynamic flow pressure  | (kPa) 50   | 150                | 250                  | 350                           | 500              |                       |
| Flow rate (1/min)  |  | 4.53               | 4.70                 | 4.35                          | 4.40             |                       |

Note: Same product but different model no: wf-1303.101.50

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 18-0113



### 自願參與用水效益標籤計劃 - 水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps





茲證明 This is to certify that

#### 將下列水龍頭在本計劃內註冊: has registered the following water tap under this scheme:

牌 子 / Brand :

: American Standard

型 號 / Model

: CF-1303.101.50 + 40.8351.010

種 類 / Type

: Mixing

原產地

/ Country or Region Origin

: China

在用水效益標籤上展示的標誌

Tymbolic Presentation on the Water Efficiency Label

滴水點

Water droplet(s)

用水效益级别

Water Efficiency Grade

: 1

耗水量

Water Consumption

: 4.5

公升/分鐘

litres/minute

簽發日期: Date of Issue:

15 May 2018

VS

水務署

Water Supplies Department



水務署署長(周世威代行) for Director of Water Supplies





Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵通 e-mail

wsdinfo@wsd.gov.hk

圖文傳真 Facsimile

2824 0578

檔 號 Reference

(2) in WSD 3321/18 Pt.1 T/J(210)

21 March 2018



#### Approval of "AMERICAN STANDARD" Basin Mixers

Your letter ref. WRC/1570 dated 22 February 2018 refers.

Having considered the test report ref. J21699A issued on 11 January 2018 by Nutek Systems (HK) Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

American Standard

Country of Origin:

China

Brand:

American Standard

**Details of Fittings:** 

1/2" Deck mounted 3-hole basin mixer

Model:

CF-1303.101.50

WF-1303.101.50

**Body Markings:** 

American

**Expiry Date:** 

1 August 2022

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fittings shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fittings, unless other specified.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung Kun) for Water Authority

c.c. WSD 3321/1/82 ] - without catalogue ME/MC ] - with soft copy only