



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "Atrio" Chrome plated two-hole basin mixer joystick with concealed body (projection 221 mm) ; nominated flow rate 5.2 L/min in WELS Grade 2; Registration No. TM 21-0032
Model	19918003 (Mixer) 23429000 (Concealed body)
Finish / Material	Chrome Plated / DR-brass
Country of origin	Germany
Manufacturer	GROHE Limited
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012
E-mail	acme@acmesanitary.com.hk
Website	www.acmesanitary.com.hk

Illustration/ Drawing

Two-hole basin mixer joystick

- wall mounted
- **without concealed body**
- set for final installation for 23429000
- GROHE FeatherControl Joystick cartridge
- **GROHE StarLight** chrome finish
- **GROHE EcoJoy** 5.7 l/min laminar mousseur
- centre distance 110 mm
- projection 221 mm

Single-lever mixer 1/2", concealed body

- for 2 hole basin mixer
- **without finishing trim set**
- GROHE FeatherControl Joystick cartridge
- wall installation
- installation device
- DR-brass
- allows for waterproofing of wall construction surrounding the concealed body
- with sealing sleeve

Colour options:

● 003 StarLight Chrome	● GL3 Cool Sunrise
● DC3 SuperSteel	● GN3 Brushed Cool Sunrise
● DA3 Warm Sunset	● DL3 Brushed Warm Sunset
● A03 Hard Graphite	● BE3 Polished Nickel
● AL3 Brushed Hard Graphite	● EN3 Brushed Nickel

* All information of the above is for the reference only. No prior notice is made if any changes.



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

GROHE ATRIO

THE ICON OF ELEGANCE AND PRECISION


Consider the circle. A staple of natural geometry. A pure form at once soothing and dynamic. A visual metaphor for both, completeness and eternity. For its Atrio collection GROHE draws on this most elemental and elegant form to create an iconic object that is built to last.

The Atrio collection means design without restrictions. Each item is available in various finishes and size options to meet all demands of personal taste and different design schemes.




GROHE FeatherControl operating angle.

This special ceramic disc coating and lubricate reservoir in **GROHE FeatherControl** cartridges ensure a lifetime of effortless precision.



GROHE FeatherControl guarantees smoothness of operation as on day one – even after years.



Note:

* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

TM 21-0032



自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps




茲證明

This is to certify that

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

牌子 / Brand	:	Grohe
型號 / Model	:	23429000 + 19918XX3 + 410992031
種類 / Type	:	Mixing
原產地 / Country or Region Origin	:	Germany (Mixer & Flow Controller)

XX – denotes the code of colour

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:		滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	2	
耗水量 <i>Water Consumption</i>	:	5.2	公升/分鐘 <i>litres/minute</i>

簽發日期：
Date of Issue: 11 February 2021

 水務署
Water Supplies Department



水務署署長(張業駒代行)
for Director of Water Supplies



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong



SD 3321/19 Pt.1 T/J(153)

電話 :

Tel. :

傳真 :

Fax. :

2824 0578

1 March 2019



Approval of "GROHE" Basin Mixer
(General Acceptance No. C20190161)

Your letter ref. WRC/2035 dated 11 February 2019 refers.

Having considered the test report ref. J23600A issued on 15 January 2019 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Grohe AG

Country of Origin: Germany

Brand: Grohe

Details of Fitting: 1/2" 2-hole basin mixer with concealed body

Model: 23429000 + 19918XX3
(where the digits "XX" denote the code of colour)

Body Markings: 

Expiry Date: 8 November 2023



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless other specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only