





PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions GROHE (Germany) "Eurocube" Wall mounted chrome plated single-lever bath & shower mixer; Single function hand spray

Dimensions L181 x W150 x H216 mm

Model 23141000

Finish Chrome Plated

Country of origin Germany

Manufacturer GROHE Limited

Supplier Acme Sanitary Ware Co. Ltd

Mr. Eric Wong/ Mr. Don Yuen

Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012


E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk

"Eurocube"

Single-lever bath/shower mixer

- · wall mounted
- · metal lever
- · GROHE SilkMove 46 mm ceramic cartridge
- · GROHE StarLight chrome finish
- adjustable flow rate limiter
- · automatic diverter: bath/shower
- · mousseur
- · integrated non-return valve in shower outlet 1/2"
- · covered S-unions
- · Protected against backflow
- · optional temperature limiter (46 375 000)
- · hand shower(27 698 000)
- · wall shower holder (27 693 000)
- · shower hose 1500 mm (28 151 000)









Tel: 2388 7171 Fax: 2710 8012
E-mail: acme@acmesanitary.com.hk
Website: www. acmesanitaryware.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

GROHE EUROCUBE





GROHE SilkMove cartridge technology for smooth handling

This premium tap comes with a continuously variable water temperature and volume adjustment technology, ensuring effortless lever operation even after years of use.

MAKE A CLEAR STATEMENT

Straightforward, attractive and always focused on the essential. Cosmopolitan life in the teeming city becomes a bit more manageable if you are surrounded by straight lines. The overarching concept of GROHE Eurocube evokes the dynamic lifestyle of busy people and celebrates the dramatic beauty of the cube. Enjoy a bit of clarity.





10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000*			10.50
2 Cartridge 46048000 3 Diverter knob 48128000 4 Diverter 65655000 5 Non-return valve 08565000 6 Mousseur 13952000 7 Screw connection 1/2" 45044000 8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	Posnr.	Prod. description	Order-nr.
3 Diverter knob 48128000 4 Diverter 65655000 5 Non-return valve 08565000 6 Mousseur 13952000 7 Screw connection 1/2" 45044000 8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	1	Lever	46782000
4 Diverter 65655000 5 Non-return valve 08565000 6 Mousseur 13952000 7 Screw connection 1/2" 45044000 8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	2	Cartridge	46048000
5 Non-return valve 08565000 6 Mousseur 13952000 7 Screw connection 1/2" 45044000 8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	3	Diverter knob	48128000
6 Mousseur 13952000 7 Screw connection 1/2" 45044000 8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	4	Diverter	65655000
7 Screw connection 1/2" 45044000 8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	5	Non-return valve	08565000
8 S-union 47824000 9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	6	Mousseur	13952000
9 Dirt strainer 0700200M 10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	7	Screw connection 1/2"	45044000
10 Temperature limiter 46375000* 11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	8	S-union	47824000
11 Extension set 1/2", 30 mm 46238000* 12 Special spanner 19377000*	9	Dirt strainer	0700200M
12 Special spanner 19377000*	10	Temperature limiter	46375000*
	11	Extension set 1/2", 30 mm	46238000*
		19377000*	

Note:

^{*} All information of the above is for the reference only. No prior notice is made if any changes.



Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 E-mail: acme@acmesanitary.com.hk Website: www. acmesanitaryware.com.hk




SANITARY WARE SPECIFICATION SHEET

27693000

"Euphoria Cube" Wall hand Shower holder

- · non-adjustable
- · GROHE StarLight chrome finish






28151000

"Relexaflex"
Shower hose

- · 1500 mm
- · 1/2" x 1/2"
- · kink proof, 8 mm bore
- · GROHE StarLight chrome finish





27698000

"Euphoria Cube Stick" <u>Hand shower 1 spray</u>

- · Normal spray
- · GROHE DreamSpray perfect spray pattern
- · GROHE StarLight chrome finish
- · SpeedClean anti-limescale system
- ${\bf Inner\ WaterGuide}$ for a longer life
- · Universal Mounting System. Fits all standard shower hoses





RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.

GROHE

Rain Spray



GROHE DreamSpray for luxurious showering

The GROHE DreamSpray technology turns your daily shower into a luxuriously relaxing experience. The advanced engineering of the shower head ensures a balanced flow of water from all nozzles, whatever spray pattern you choose.




SpeedClean: easy cleaning thanks to silicone nozzle

Indeed, the name says it all: with the SpeedClean technology, you'll have limescale removed from the spout in the blink of an eye thanks to a nozzle made of silicone. A quick wipe with your fingers is all it takes to remove any limescale deposits, saving you a lot of time and effort!



Coating protected by Inner WaterGuide

A strong insulation of the water guide inside the shower prevents its surface from heating up, so it will never be too hot for you to touch. At the same time, this serves to protect the finish of your GROHE shower, further enhancing its great durability.



Note: