

## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitarv.com.hk Since 1949 Website: www.acmesanitary.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

### SANITARY WARE SPECIFICATION SHEET

GROHE (Germany) "Grandera" Single-lever Item Descriptions basin mixer 1/2" M-Size; nominated flow rate 5 L/min in WELS Grade 1; Registration No. TM 21-0066 L110 x W59 x H207 mm Dimensions Model 23303IG0 Finish / Material Chrome Plated & Gold Country of origin Germany Manufacturer **GROHE Limited** Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk


#### "Grandera"

#### Basin mixer 1/2 " M-Size

- · monobloc installation
- · 28 mm ceramic cartridge with GROHE SilkMove
- · temperature limiter
- · GROHE StarLight chrome finish
- · GROHE EcoJoy technology for less water and perfect flow
- · GROHE QuickFix installation system
- GROHE AquaGuide adjustable mousseur 5.7 l/min
- · pop-up waste set 1 1/4"
- · flexible connection hoses







Illustration/ Drawing



Note:

WRAS



## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitarv.com.hk Since 1949 Website: www.acmesanitary.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

### SANITARY WARE SPECIFICATION SHEET

# **GROHE GRANDERA**

#### TOMORROW'S GRAND STYLE

The GROHE Grandera collection is both a homage to an age of grandeur long past and an affirmation of modern sensibility, combining the highest standards of quality and craftsmanship with a love of detail and comfort.

Stylistically, the Grandera collection can be combined with a wide range of bathroom furnishings, with the added flexibility of two colors - chrome and chrome / gold.



# GROHE StarLight® GROHE GROHE-GROHE StarLight StarLight PVD GROHE scratch **GROHE** surface

resistance



Grobe SilkMove

Only Grohe mixers deliver the unique Grohe SilkMove experience. The rich, smooth handling of our single-lever mixers perfectly expresses the quality and superiority of our brand. The Grohe SilkMove cartridge delivers gradual and precise control of the water flow and temperature.





AQUAGUIDE Variable spout end for adjustment of water flow.



GROHE

SilkMove®

#### GROHE SilkMove cartridge technology for smooth handling

This premium tap comes with a continuously variable water temperature and volume adjustment technology, ensuring effortless lever operation even after years of use.



### GROHE EcoJoy with water-saving function for reduced consumption

GROHE EcoJoy reduces water consumption by up to 50% without compromising on performance. Whenever you turn on your tap, you will enjoy a full jet of water while saving money nonetheless.



### GROHE QuickFix Plus quick and easy installation in a few simple steps

Save time on the installation of your tap with GROHE QuickFix Plus. Consisting of fewer parts, our new system makes the installation process quicker and easier than ever.

Note:

hardness




# Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk



PR	OJECT	REF	REV	ITEM CODE	
LOC	CATION	DATE		PAGE	

# SANITARY WARE SPECIFICATION SHEET



Note:

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.



## 自願參與用水效益標籤計劃 - 水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明 This is to certify that

將下列水龍頭在本計劃內註冊: has registered the following water tap under this scheme:

牌 子 / Brand :

型 號 / Model : 23303XXX + 404230040

種 類 / Type : Mixing

原產地 / Country or Region Origin : Germany (Mixer & Flow Controller)

Grohe

XXX - denotes the code of colour

在用水效益標籤上展示的標誌

Symbolic Presentation on the Water Efficiency Label : Water droplet(s)

用水效益級別

Water Efficiency Grade : 1

耗水量 5.0 公升/分鐘

Water Consumption : 5.0 Litres/minute

簽發日期: Date of Issue:

8 March 2021





滴水點

水務署署長(張業駒代行) for Director of Water Supplies



### 水務署 Water Supplies Department

總部 Headquarters

仔告士打道七號入境事務大樓 48 樓

vration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

3321/2020 T/J(1206/2020)

電話

Tel.

傳真

2824 0578

26 November 2020



# Approval of "GROHE" Basin Mixer (General Acceptance No. C20201066)

Your letters ref. WRC/2344 and C-WSD/0674 dated 4 September 2020 and 10 November 2020 respectively refer.

Having considered the test report ref. J24993Ar1 issued on 29 October 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Grohe

Grohe AG

Country of Origin:

Germany

Brand:

Grohe

**Details of Fitting:** 

3/8" Single lever basin mixer

Model:

23303XXX

(where the digits "XXX" denote the code of colour)

**Body Markings:** 

GROHE

**Expiry Date:** 

16 January 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue ME/MC ] - with soft copy only