

Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk



	PROJECT	REF	REV	ITEM CODE	
Ī	LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

GROHE (Germany) "BauEdge" Wall Item Descriptions mounted chrome plated single-lever bath and shower mixer Dimensions L166 x W150 x H117 mm Model 23334000 Material Chrome Plated Country of Origin Thailand Manufacturer **GROHE Limited** Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk

www.acmesanitary.com.hk




- · wall mounted
- · metal lever

Website

- · GROHE Long-Life 46 mm ceramic cartridge
- · GROHE Long-Life finish
- · adjustable flow rate limiter
- · automatic diverter: bath/shower
- · spout with mousseur
- · shower bottom outlet 1/2" with integrated non return-valve
- · S-unions
- · metal wall escutcheon
- · protected against backflow
- · optional temperature limiter (46 375 000)









水 務 署 Water Supplies Department

總部 Headquarters

上打道七號入境事務大樓 48 樓

21/2023 T/J(216/2023)

on Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號

Your ref.

Tel.

傳真

: 2824 0578

Fax.

29 March 2023



Approval of "GROHE" Bath/Shower Mixer (General Acceptance No. C20230191)

Your letter ref. WRC/2855 dated 28 February 2023 refers.

Having considered the test report ref. 222320PC220299 issued on 10 January 2023 by Fugro Technical Services Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe AG

Country of Origin:

Thailand

Brand:

Grohe

Details of Fitting:

1/2" Single lever bath/shower mixer

Model:

23334XXX

(where "XXX" denotes the code of colour)

Body Markings:

GROHE

Expiry Date:

8 November 2027





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,

(Mable LH LAM) for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue ME/MC] - with soft copy only