





PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

GROHE (Germany) "BauEdge" Single-lever Item Descriptions shower mixer; 'GROHE StarLight' chrome plated finish **Dimensions** L79 x W105 x H105 mm Model 29040000 Material Chrome Plated Country of Origin Germany Manufacturer **GROHE Limited** Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Wilson Hung Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk concealed installation

set for final installation
concealed body (32 962 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
escutcheon- and shaft-sealing
optional temperature limiter

consisting of:



118-148

50°

105

Note: Diverter 463737000 is a part of exposed part 19382000





Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵遞 e-mail

wsdinfo@wsd.gov.hk

電 話 Telephone

2829 4367

圖文傳真 Eastimite

2824 0578

檔 Reference

(4) in WSD 3321/15 Pt.1 T/J(494)

25 November 2015

Dear Sir,

Approval of "GROHE" Shower Mixer

Your letters ref. WRC/0985 and C-WSD/0157 dated 28 October 2015 and 17 November 2015 respectively refer.

Having considered test report ref. J19165 issued on 26 October 2015 by the Nutek Systems, Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe AG

Country of Origin:

Thailand

Brand:

Grohe

Details of Fitting:

1/2" Single lever shower mixer concealed body

Model:

32962000

Body Markings:

Nil

Expiry Date:

21 October 2020

Acceptance Reference No. C20150145

Page: 1

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fittings shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless other specified.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms. K L FOK at tel. no. 2829 5657.

Yours faithfully,

(LAM Ching Man) for Water Authority

c.c. WSD 3321/1/82] - without catalogue E/CS(TS)1