

Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	


SANITARY WARE SPECIFICATION SHEET

Item Descriptions GROHE (Germany) "Minta" Polished chrome single lever sink mixer 1/2" with Lshaped spout; nominated flow rate 4.9 l/min in WELS Grade 1; Registration No. TM 18-0258 Dimensions L210 x W140 x H360 mm Model 31375000 (Mixer) 402671031 (Aerator) Finish Polished Chrome **GROHE Limited** Manufacturer Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk

''Minta''

- · Single-lever sink mixer 1/2"
- · L-spout
- · GROHE StarLight finish
- · GROHE SilkMove 46 mm ceramic cartridge

Dynamic flow pressure (kPa)



50

150

250

350

500



360 332 max.60 445 210 -G3/8 Colour options: 000 | StarLight Chrome GL01 Cool Sunrise GN0 I Brushed Cool Sunrise DC0 | SuperSteel DA0 I Warm Sunset DL01 Brushed Warm Sunset BEOI Polished Nickel A00 I Hard Graphite AL0 I Brushed Hard Graphite
EN0 I Brushed Nickel

Illustration/ Drawing



https://www.youtube.com/watch?v=EL9NiocwjFk https://www.youtube.com/watch?v=54j4_hdg28s&vl=uk




Acme Sanitary Ware Co. Ltd.


1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk




PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET







A stylish, minimal kitchen doesn't mean compromising on performance. The first thing you'll notice about GROHE's Minta faucet is its sleek, clean silhouette, perfect for a contemporary kitchen. But what you'll enjoy day after day is its fantastic flexibility. With a pull-out spray head with dual spray control it makes cleaning, rinsing and prepping easy, letting you get the most out of your kitchen.

Posnr.	Lever		
1			
2	Сар	46025000	
3	Cartridge	46048000	
4	Spout	13348000	
4.1	Sealing washer Ø 13.5 x Ø 2.75	0128500M	
4.2	Safety ring	0485300M	
4.3	Mousseur	64186000	
5	Shank fastening assembly	46249000	
3	Mounting wrench	19017000*	

Note:

^{*} All information of the above is for the reference only. No prior notice is made if any changes.

TM 18-0258



自願參與用水效益標籤計劃-水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明 This is to certify that

將下列水龍頭在本計劃內註冊:

has registered the following water tap under this scheme:

/ Brand

GROHE

/ Model

31375XXX + 402671031

/ Type

Mixing

/ Country or Region Origin 原產地

Portugal

在用水效益標籤上展示的標誌

Symbolic Presentation on the Water Efficiency Label

滴水點

Water droplet(s)

Water Efficiency Frade

1

耗水量

Water Consumption

4.9

FICIENC

公升/分鐘 litres/minute

簽發日期: Date of Issue:

11 October 2018

H

Water Supplies Department

水務署署長(鍾兆榮代行)

for Director of Water Supplies



水 務 署 Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

ration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號 Your ref.



/2023 T/J(581/2023)

電話

Tel.

傳真 Fax.

: 2824 0578

19 July 2023



Approval of "GROHE" Sink Mixer (General Acceptance No. C20230526)

Your E-Application [file-id: ETJ-GA-20230531-40] dated 8 June 2023 and subsequent submission received by this department on 23 June 2023 refer.

Having considered the test report ref. 222320PC230104A issued on 2 June 2023 by Fugro Technical Services Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe AG

Country of Origin:

Portugal

Brand:

Grohe

Details of Fitting:

3/8" Single lever sink mixer

Model:

31375XXX

(where "XXX" denotes the code of colour)

Body Markings:

GROHE

Expiry Date:

26 April 2028





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,

(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue ME/MC] - with soft copy only