



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "Eurodisc Cosmopolitan" Chrome plated single-lever basin mixer 1/2" S- Size; nominated flow rate <b>5 L/min</b> in WELS <b>Grade 1</b> ; Registration No. TN 21-0084	Illustration/ Drawing
Dimensions	L116 x W50 x H205 mm	 <div></div>
Model	3246920E	
Finish / Material	Chrome Plated	
Country of origin	Germany	
Manufacturer	GROHE Limited	
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	
<div><b>"Eurodisc Cosmopolitan"</b> <b>Basin mixer 1/2" S-Size</b></div> <div></div> <div><ul style="list-style-type: none"><li>• metal lever</li><li>• monobloc installation</li><li>• <b>GROHE SilkMove</b> 35 mm ceramic cartridge</li><li>• adjustable flow rate limiter</li><li>• adjustable minimum flow rate 2.5 l/min</li><li>• temperature limiter</li><li>• <b>GROHE StarLight</b> chrome finish</li><li>• <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min</li><li>• <b>GROHE FastFixation</b> Plus installation system with centering support</li><li>• smooth body</li><li>• flexible connection hoses</li><li>• noise classification 1 in accordance with DIN4109</li></ul></div>		

Note:  [Unboxing 3246920E](https://www.youtube.com/watch?v=XwinuAl8t_A) [https://www.youtube.com/watch?v=XwinuAl8t\\_A](https://www.youtube.com/watch?v=XwinuAl8t_A)

\* All information of the above is for the reference only. No prior notice is made if any changes.



Since 1949

# Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong

Tel: 2388 7171 Fax: 2710 8012

Email: acme@acmesanitary.com.hk

Website: www.acmesanitary.com.hk



Pure Freude  
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET



### GROHE SilkMove cartridge technology for smooth handling

This premium tap comes with a continuously variable water temperature and volume adjustment technology, ensuring effortless lever operation even after years of use.





### Easy to clean thanks to the GROHE StarLight chrome coating

Just wipe the tap down with a dry cloth – the ultra smooth surface finish is scratch resistant and ensures a lasting luminous sheen. You'll save plenty of time cleaning while your tap always looks shiny and new.



### GROHE EcoJoy with water-saving function for reduced consumption

GROHE EcoJoy reduces water consumption by up to 50% without compromising on performance. Whenever you turn on your tap, you will enjoy a full jet of water while saving money nonetheless.



Pos.-nr.	Prod. description	Order-nr.
1	Lever	46738000
2	Cap	46492000
3	Screw coupling	46460000
4	Cartridge	46374000
5	Laminar flow straightener	13955000
6	Shank fastening assembly	46645000
7	Socket spanner	19332000*
8	Mounting wrench	19017000*

\* Optional accessories

Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

TM 21-0084



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明  
This is to certify that

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

牌 子 / Brand	:	Grohe
型 號 / Model	:	324692XE + 64647040
種 類 / Type	:	Mixing
原產地 / Country or Region Origin	:	Germany (Mixer & Flow Controller)

X - denotes the code of colour

在用水效益標籤上展示的標誌

*Symbolic Presentation on the Water Efficiency Label*



滴水點

*Water droplet(s)*

用水效益級別

*Water Efficiency Grade*

: 1

耗水量

*Water Consumption*

: 5.0

公升/分鐘

*litres/minute*

簽發日期：  
Date of Issue:

22 March 2021



水務署  
Water Supplies Department



水務署署長(張業駒代行)  
for Director of Water Supplies





水務署  
Water Supplies Department

總部 Headquarters



士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔  
Our ref.  
來函檔號  
Your ref.

321/2020 T/J(1121/2020)

電話  
Tel.  
傳真  
Fax. : 2824 0578

8 October 2020



### Approval of "GROHE" Basin Mixer (General Acceptance No. C20200885)

Your letter ref. WRC/2322 dated 20 August 2020 refers.

Having considered the test report ref. J25034A issued on 14 April 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Grohe AG

**Country of Origin:** Germany

**Brand:** Grohe

**Details of Fitting:** 3/8" Single lever basin mixer

**Model:** 324692XE  
(where the digit "X" denotes the code of colour)

**Body Markings:** 

**Expiry Date:** 22 January 2025



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82   ] - without catalogue  
            ME/MC           ] - with soft copy only