

Tel: 2388 7171 Fax: 2710 8012
E-mail: acme@acmesanitary.com.hk
Website: www. acmesanitaryware.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

GROHE (Germany) "Essence" Wall Item Descriptions Illustration/ Drawing mounted brushed hard graphite single-lever shower mixer **Dimensions** W281 x L70 x H91 mm Model 33636AL1 Material **Brushed Hard Graphite** Country of Origin Portugal Manufacturer **GROHE Limited** Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk "Essence" Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** finish 150±15 shower outlet 1/2" integrated non-return valve 281 S-unions protected against backflow min. recommended pressure 1.0 bar Colour options: 001 I StarLight Chrome GL1 I Cool Sunrise DC1 | SuperSteel GN1 I Brushed Cool Sunrise DA1 I Warm Sunset DL1 I Brushed Warm Sunset A01 I Hard Graphite BE1 I Polished Nickel 33636DC1 33636GL1 33636DA1 33636A01 AL1 I Brushed Hard Graphite
 EN1 I Brushed Nickel

Note:

^{*} All information of the above is for the reference only. No prior notice is made if any changes.





本署檔號 Our ref. 來函檔號

Your ref.

(4) in WSD 3321/2020 T/J(182/2020)

電話

Tel.

傳真 Fax.

2824 0578

12 May 2020

Approval of "GROHE" Shower Mixer (General Acceptance No. C20200318)

Your letters ref. WRC/2156 and C-WSD/0579 dated 2 March 2020 and 6 April 2020 respectively refer.

Having considered the test report ref. J24969 issued on 19 February 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe AG

Country of Origin:

Portugal

Brand:

Grohe

Details of Fitting:

1/2" Single lever shower mixer

Model:

33636XX1

(where the digits "XX" denote the code of colour)

Body Markings:

GROHE

Expiry Date:

19 January 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue ME/MC] - with soft copy only