



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Nobili (Italy) "Blues" External bath &	Illustration/ Drawing		
	shower mixer			
Standard	QAVR (Italy)	12		
Dimensions	Refer to drawing	The state		
Model	BS101110/1 CR			
Finish	Chrome Plated			
Manufacturer	Nobili (Italy)			
Source	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen			
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012			
E-mail	acme@acmesanitary.com.hk	80		
Website	www.acmesanitary.com.hk	ø 42		
SPECIFICATIONS • External single control • Chrome • Anti limescale aerator M 28 x 1 • Auto return deviator • 1/2" outlet		25 <u>G 1/2</u> 170		
• 50% two step cartrid	ge for water saving			

Note:

* All information of the above is for the reference only. No prior notice is made if any changes.





: 2824 0578

24 September 2020

Acme Sanitary Ware Co. Ltd. 1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong

(Attn.: Mr Perry CHOW)

Dear Sir,

Approval of "NOBILI" Bath/Shower Mixer (General Acceptance No. C20200850)

Your letter ref. L023/2020 dated 27 August 2020 refers.

Having considered the test report ref. J25445 issued on 26 August 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:Carlo Nobili SpA RubinetterieCountry of Origin:ItalyBrand:NobiliDetails of Fitting:1/2" Single lever bath/shower mixerModel:BS101110/1CRBody Markings:NOBILIM

Expiry Date:

9 August 2025



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

> "The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

> "The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun) for Director of Water Supplies

Encl.

c.c. ME/MC

WSD 3321/1/82] - without catalogue] - with soft copy only

General Acceptance No. C20200850