



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

<p><b>Item Descriptions</b></p> <p><b>Dimensions</b></p> <p><b>Model</b></p> <p><b>Material</b></p> <p><b>Manufacturer</b></p> <p><b>Supplier</b></p> <p><b>Contact Tel/Fax</b></p> <p><b>E-mail</b></p> <p><b>Website</b></p>	<p>Mediclinics (Spain) horizontal wall mounted polyethylene and stainless steel cover baby changing station</p> <p>L570 x W860 x H565 mm</p> <p>CP0016HCS</p> <p>Polyethylene / Stainless Steel</p> <p>Mediclinics, S.A. (Spain)</p> <p>Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Wilson Hung</p> <p>(852) 2388-7171 / (852) 2710-8012</p> <p>acme@acmesanitary.com.hk</p> <p>www.acmesanitary.com.hk</p>	<p style="text-align: center;">Illustration/ Drawing</p> <div style="text-align: right;"> </div>    										
<p><b>General Description</b></p> <p>Surface-mounted baby changing stations made of bacterial- resistant polypropylene (CP0016H and CP0016HCS) and with stainless steel AISI 304 exterior (only CP0016HCS)</p> <p>BabyMedi ® changing stations offer a very high level of safety and cleanliness being the ideal solution for public spaces such as, shopping centers, airports, public buildings, childcare centres, etc. Model suitable for high traffic facilities with high strength and durability.</p> <p>Their trendy and stylish design, allow these baby changing stations to blend into any space perfectly.</p> <p>Biocote® antimicrobial additive, based on ion silver technology, is embedded into its own surface, promoting an easy cleaning and reducing the growth of odor causing and staining microbes.</p> <p>BabyMedi ® baby changing stations are supplied (inside the packing box) with child protection straps made of nylon.</p> <p>A pair of bag hooks (one at the right side and the other one at the left) help to keep personal belongings close and at hand.</p> <p>BabyMedi ® units fully comply with the EN 12221-1 and EN 12221-2 standards that require baby changing stations be able to support a 50 Kg static load test during one hour. Moreover, units tested in our own laboratories have withstood loads over 100 kg.</p>												
<p><b>Technical Specifications</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;"><b>Dimensions</b></td> <td>L:860 x W:100 (closed)/ 570 (open) x H:480 mm</td> </tr> <tr> <td><b>Weight (empty)</b></td> <td>12.3 Kg (CP0016H) 16.0 Kg (CP0016HCS)</td> </tr> <tr> <td><b>Liner dispenser capacity</b></td> <td>80 units</td> </tr> <tr> <td><b>Recommended installation height</b></td> <td>800 mm at lowest point</td> </tr> <tr> <td><b>Recommended installation height (handicapped)</b></td> <td>700 mm at lowest point</td> </tr> </table>		<b>Dimensions</b>	L:860 x W:100 (closed)/ 570 (open) x H:480 mm	<b>Weight (empty)</b>	12.3 Kg (CP0016H) 16.0 Kg (CP0016HCS)	<b>Liner dispenser capacity</b>	80 units	<b>Recommended installation height</b>	800 mm at lowest point	<b>Recommended installation height (handicapped)</b>	700 mm at lowest point	
<b>Dimensions</b>	L:860 x W:100 (closed)/ 570 (open) x H:480 mm											
<b>Weight (empty)</b>	12.3 Kg (CP0016H) 16.0 Kg (CP0016HCS)											
<b>Liner dispenser capacity</b>	80 units											
<b>Recommended installation height</b>	800 mm at lowest point											
<b>Recommended installation height (handicapped)</b>	700 mm at lowest point											

\* All information of the above is for the reference only. No prior notice is made if any changes.



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

  

COMPONENT	No.	CODE
Label	1	RC9691020SMD
Shock absorber CP0016H	2	RC9161001SMD
Lock + key	3	RC9483003SMD
Key	4	RC99065
Protective liners	5	CN0020
Shock absorber CP0016HCS	6	RC9161002SMD



[https://www.youtube.com/watch?v=0yHMXM\\_PFQI&feature=youtu.be](https://www.youtube.com/watch?v=0yHMXM_PFQI&feature=youtu.be)