

註冊號碼 (Registration No.):

TM 20-0069



自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps




茲證明

This is to certify that
Acme Sanitary Ware Co., Ltd.

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

| | | |
|--------------------------------|---|---|
| 牌子 / Brand | : | Nobili + Neoperl |
| 型號 / Model | : | FL96133CR + 44.3051.000 |
| 種類 / Type | : | Mixing |
| 原產地 / Country or Region Origin | : | Italy (Mixer) Germany & UK (Flow Controller) |

| | | |
|---|---|--|
| 在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i> | : |  滴水點 <i>Water droplet(s)</i> |
| 用水效益級別 <i>Water Efficiency Grade</i> | : | 1 |
| 耗水量 <i>Water Consumption</i> | : | 4.9 公升/分鐘 <i>litres/minute</i> |

簽發日期：
Date of Issue:

2 June 2020



水務署
Water Supplies Department



水務署署長(張業駒代行)
for Director of Water Supplies



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48th Floor, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong



本署檔號

Our ref.

來函檔號

Your ref.

2023 T/J(1278/2023)

電話

Tel.

傳真

Fax.

:

:

2824 0578

15 January 2024

Acme Sanitary Ware Co. Ltd.
1/F, Acme Building,
22-28 Nanking Street,
Kowloon, Hong Kong

(Attn.: Mr Perry CHOW)

Dear Sir,



**Approval of "NOBILI" Sink Mixer
(General Acceptance No. C20240035)**

Your letter ref. L017/2023 dated 18 December 2023 refers.

Having considered the test report ref. J29472r1 issued on 18 December 2023 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Carlo Nobili SpA Rubinetterie

Country of Origin: Italy

Brand: Nobili

Details of Fitting: 3/8" Single lever sink mixer

Model: FL96133CR

Body Markings: **NOBILI** 

Expiry Date: 20 November 2028



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only