

Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk




PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions Nobili (Italy) "Acquaviva" Chrome plated built-in 1-way single control shower mixer Standard QAVR (Italy) Dimensions Refer to drawing Model VV103108 CR Finish Chrome Plated Manufacturer Nobili (Italy) Source Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk

SPECIFICATIONS

- · Built-in 1-way single control mixer
- · ø 1/2" hot and cold water inlet
- 1/2" outlet
- · External part and flush-fit part
- · 50% two step cartridge for water saving



N	ote
---	-----



本署檔號 Our ref.

: (4) in WSD 3321/2020 T/J(1573/2020)

電話

Tel.

來函檔號 Your ref.

傳真

: 2824 0578

18 January 2021

Acme Sanitary Ware Co. Ltd. 1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong

(Attn.: Mr Perry CHOW)

Dear Sir,

Approval of "NOBILI" Shower Mixer (General Acceptance No. C20210039)

Your letters ref. L030/2020 and L038/2020 dated 27 November 2020 and 23 December 2020 respectively refer.

Having considered the test report ref. J25718 issued on 12 November 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Carlo Nobili SpA Rubinetterie

Country of Origin:

Italy

Brand:

Nobili

Details of Fitting:

1/2" Single lever shower mixer

Model:

VV103108XX

(where "XX" denote the codes of finishes)

Body Markings:

NOBILIZ

Expiry Date:

26 October 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

> "The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

> "The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

C.C. WSD 3321/1/82] - without catalogue

ME/MC] - with soft copy only