




PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

<p><b>Item Descriptions</b></p> <p>Haws (USA) Wall mounted stainless steel drinking fountain</p>	<p>Haws (USA) Wall mounted stainless steel drinking fountain</p>	<p style="text-align: center;">Illustration/ Drawing</p> 
<p><b>Model</b></p> <p>1109BP</p>	<p>1109BP</p>	
<p><b>Finish</b></p> <p>Satin</p>	<p>Satin</p>	
<p><b>Material</b></p> <p>Stainless Steel</p>	<p>Stainless Steel</p>	
<p><b>Manufacturer</b></p> <p>Haws Corporation (USA)</p>	<p>Haws Corporation (USA)</p>	
<p><b>Source</b></p> <p>Acme Sanitary Ware Co. Ltd          Mr. Eric Wong/ Mr. Wilson Hung</p>	<p>Acme Sanitary Ware Co. Ltd          Mr. Eric Wong/ Mr. Wilson Hung</p>	
<p><b>Contact Tel/Fax</b></p> <p>(852) 2388-7171 / (852) 2710-8012</p>	<p>(852) 2388-7171 / (852) 2710-8012</p>	
<p><b>E-mail</b></p> <p>acme@acmesanitary.com.hk</p>	<p>acme@acmesanitary.com.hk</p>	
<p><b>Website</b></p> <p>www.acmesanitary.com.hk</p>	<p>www.acmesanitary.com.hk</p>	
<p><b>Specification:</b></p> <p>Wall mounted drinking fountain shall include an 18 gauge Type 304 Stainless Steel satin finish basin with matching back panel, push-button operated stainless steel valve with front accessible cartridge and flow adjustment, 100% lead-free waterways, polished chrome-plated brass vandal-resistant bubbler head, polished chrome-plated brass vandal-resistant waste strainer, vandal-resistant bottom plate, and 1-1/4" IPS trap.</p> <p><b>Features &amp; Benefits:</b></p> <p><b>BUBBLER HEAD</b>          Polished chrome-plated brass bubbler head features an integral basin shank for added strength, and is equipped with a shielded, anti-squirt orifice that provides a steady sanitary source of water.</p> <p><b>INTEGRATED TRAP</b>          Spacious fountain design allows for the trap to be internally mounted which allows for easy access, and aids and reduces the installation process.</p> <p><b>GALVANIZED FINISH</b>          Tough galvanized coating is ideal for areas where vandalism and graffiti is an issue. Due to the galvanizing process, appearance of the finish may vary.</p> <p><b>PUSH BUTTON</b>          With its patented (Pat.# 6,981,692) stainless steel, push-button activated valve assembly which allows for front access stream adjustment as well as cartridge and strainer access, this fountain offers 100% lead free waterways. The valve works at an operating pressure range of 30 to 90 psi.</p>		

**Note:**