



Acme Sanitary Ware Co Ltd




Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong
 Tel: 2388 7171 Fax: 2710 8012
 E-mail: acme@acmesanitary.com.hk
 Website: www.acmesanitaryware.com.hk



Pure Freude
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "BauLoop" Chrome plated single lever basin tap 1/2" XS-Size ; Nominal flow rate 1.7 L/Min in WELS Grade 1 ; Registration No. TN 18-0033	Illustration/ Drawing												
Dimensions	Height: 95mm													
Model	20422000 (Tap) A5.9042.1 (Aerator)													
Material	Chrome Plated													
Country of Origin : Manufacturer	Thailand GROHE Limited													
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen													
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012													
E-mail	acme@acmesanitary.com.hk													
Website	www.acmesanitary.com.hk													
<div><div><ul style="list-style-type: none">• single hole installation• metal lever• ceramic headpart</div><div><ul style="list-style-type: none">• GROHE StarLight chrome finish• GROHE EcoJoy mousseur 5.7 l/min• fixation nut G 1/2"• minimum pressure 1.0 bar</div></div>														
<div><table><tr><td>Dynamic flow pressure (kPa)</td><td>50</td><td>150</td><td>250</td><td>350</td><td>500</td></tr><tr><td>Flow rate (l / min)</td><td>1.50</td><td>1.70</td><td>1.70</td><td>1.80</td><td>1.90</td></tr></table></div>			Dynamic flow pressure (kPa)	50	150	250	350	500	Flow rate (l / min)	1.50	1.70	1.70	1.80	1.90
Dynamic flow pressure (kPa)	50	150	250	350	500									
Flow rate (l / min)	1.50	1.70	1.70	1.80	1.90									
<div></div>														

Note:

* All information of the above is for the reference only. No prior notice is made if any changes.




自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明
This is to certify that

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

牌 子 / Brand	:	GROHE
型 號 / Model	:	20422000 + A5.9042.1
種 類 / Type	:	Non-mixing
原產地 / Country or Region Origin	:	Thailand

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:		滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	1	
耗水量 <i>Water Consumption</i>	:	1.7	公升/分鐘 <i>litres/minute</i>

簽發日期: 6 July 2018
Date of Issue:



水務署
Water Supplies Department



水務署署長(周世威代行)
for Director of Water Supplies



水務署

Water Supply

香港灣仔告士打

Immigration Tower

Hong Kong



電子郵件

e-mail

wsdinfo@wsd.gov.hk

圖文傳真

Facsimile

2824 0578

檔號

Reference

(4) in WSD 3321/18 Pt.1 T/J(175)

3 April 2018

Dear Sir,

Approval of "GROHE" Pillar Tap

Your letters ref. WRC/1616 dated 8 February 2018 and ref. C-WSD/0338 dated 21 March 2018 refer.

Having considered the test report ref. J22006Ar2 issued on 12 March 2018 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Grohe AG

Country of Origin: Thailand

Brand: Grohe

Details of Fitting: 1/2" Pillar tap

Model: 20422000

Body Markings:



Expiry Date: 26 November 2022

This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless other specified.

For the use of the fitting in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only