





PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (PRC) Universal angle valve 1/2"	Illustration/ Drawing
Dimensions	L62 x W47 x H47 mm	 
Model	22016000	
Finish	Chrome Plated	
Country of origin	PRC	
Manufacturer	GROHE Limited	
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax E-mail Website	(852) 2388-7171 / (852) 2710-8012 acme@acmesanitary.com.hk www.acmesanitary.com.hk	
<u>Universal angle valve 1/2"</u> <ul style="list-style-type: none">• with connection 1/2"• plastic handle• marking: neutral• screw escutcheon• metal• GROHE StarLight finish• blister pack		

Note:

* All information of the above is for the reference only. No prior notice is made if any changes.



Water Services Department

入境事務大樓 48 樓
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/19 T/J(1182/2019)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

23 January 2020



**Approval of "GROHE" Angle Valve
(General Acceptance No. C20200065)**

Your letters ref. WRC/2122 and C-WSD/0547 dated 18 December 2019 and 6 January 2020 respectively refer.

Having considered the test report ref. J24750 issued on 5 November 2019 by Nutek System (HK) Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Grohe AG
Country of Origin: the Mainland of China
Brand: Grohe
Details of Fitting: 1/2" x 1/2" Copper alloy angle valve
Model: 22016000
Body Markings: 
Expiry Date: 26 September 2024



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only