







PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	


SANITARY WARE SPECIFICATION SHEET


Item Descriptions	GROHE (PRC) Brass chrome plated angle valve 1/2" x 3/8"	Illustration/ Drawing
Model	22017000	 
Finish	Chrome Plated	
Manufacturer	GROHE Limited	
Country of Origin :	China	
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	


Angle valve 1/2"
plastic handle
Marking: neutral
with compression coupling 3/8"
for copper tube Ø 10 mm
screw escutcheon
10 pieces
GROHE StarLight finish



GROHE surface hardness
 x3
 Chrome PVD

GROHE scratch resistance
 x10
 Chrome PVD




 ENJOY WATER®

Note:
 2201700M is 10-pack of 22017000.

* All information of the above is for the reference only. No prior notice is made if any changes.



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

7 Gloucester Road, Wan Chai, Hong Kong



本署檔號
Our ref.
來函檔號
Your ref.

1/2020 T/J(1402/2020)

電話
Tel. :
傳真
Fax. : 2824 0578

15 December 2020



Approval of "GROHE" Angle Valve (General Acceptance No. C20201135)

Your letter ref. WRC/2366 dated 28 October 2020 refers.

Having considered the test report ref. J25708 issued on 21 October 2020 by Nutek System (HK) Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Grohe AG
Country of Origin: the Mainland of China
Brand: Grohe
Details of Fitting: 1/2" x 3/8" Copper alloy angle valve
Model: 22017000
Body Markings: 
Expiry Date: 5 October 2025

This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only