Since 1949
Acme Sanitary Ware Co. Ltd.
1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong
Tel: 2388 7171 Fax: 2710 8012
Email: acme@acmesanitary.com.hk
Website: www.acmesanitary.com.hk

DAIMLER

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			LEGEND	

SANITARY WARE SPECIFICATION SHEET


Item Descriptions	Daimler (PRC) 1/2" x 1/2" POM plastic angle valve with "Tucai" 500mm long flexible hose for sea water use
Dimension	Refer to drawing
Model	2210D.GY (Angle Valve) TAQ-ACB-HG1212-500 (Hose)
Colour	Gray
Material	Polyoxymethylene (POM)
Manufacturer	Daimler (PRC) Tucai (PRC)
Source	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Wilson Hung
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012
E-mail	acme@acmesanitary.com.hk
Website	www.acmesanitary.com.hk


Illustration/ Drawing











Note: 2210D.GY where GY is the color code.

** All information of the above is for the reference only. No prior notice is made if any changes.*

水務署
Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong.

電子郵遞 *e-mail* wsdinfo@w

電話 *Telephone* 2824 0578　　圖文傳真 *Facsimile* 2824 0578

檔號 *Reference* (WSD 32 T/J(1405/2024)

ACME SANITARY WARE CO., LTD. 2388 7171

24 January 2025



Approval of "DAIMLER" Angle Valve
(General Acceptance No. ZC20250071F)

Your letters ref. TFWC-2024-005 and TFWC-2024/005R dated 29 November 2024 and 2 January 2025 respectively refer.

Having considered the test report ref. 243343PC240529 issued on 6 December 2024 by Fugro Technical Services Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:	Kai Ping Yong Sheng Sanitary Ware Shower Factory
Country of Origin:	the Mainland of China
Brand:	Daimler
Details of Fitting:	1/2" x 1/2" Plastic angle valve
Model:	2210D.XX (where "XX" denotes the code of color)
Body Markings:	**DAIMLER**
Expiry Date:	29 December 2029

Proviso: As the fitting has not been tested for use in contact with water intended for human consumption, the fitting can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fitting in flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in flushing water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,

(Terry KUNG)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only