

Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitarv.com.hk Since 1949 Website: www.acmesanitary.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions GROHE (Germany) "Concetto" Chrome plated

> single-lever basin mixer 1/2" M-Size with temperature limiter; nominated flow rate 4.6 L/min in WELS Grade 1; Registration No. TM

21-0028

Dimensions L133 x W46 x H219 mm

Model 23450001

Finish Chrome Plated

Country of origin Thailand Manufacturer **GROHE AG**

Supplier Acme Sanitary Ware Co. Ltd

Mr. Eric Wong/ Mr. Don Yuen

Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012

E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk

"Concetto"


Basin mixer 1/2 // M-Size


- · monobloc installation
- · metal lever
- 28 mm ceramic cartridge with **GROHE**

SilkMove

- · with temperature limiter
- · GROHE StarLight chrome finish
- **GROHE EcoJoy** mousseur 5.7 1/min
- · pop-up waste set 1 1/4"
- · flexible connection hoses







Note:




Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET





GROHE SilkMove cartridge technology for smooth handling

This premium tap comes with a continuously variable water temperature and volume adjustment technology, ensuring effortless lever operation even after years of use.




Easy to clean thanks to the GROHE StarLight chrome coating

Just wipe the tap down with a dry cloth - the ultra smooth surface finish is scratch resistant and ensures a lasting luminous sheen. You'll save plenty of time cleaning while your tap always looks shiny and new.



GROHE EcoJoy with water-saving function for reduced consumption

GROHE EcoJoy reduces water consumption by up to 50% without compromising on performance. Whenever you turn on your tap, you will enjoy a full jet of water while saving money nonetheless.



	2 9 1
10 6 min 8 8 9 9 9 9	7.1

Posnr.	Prod. description	Order-nr.		
1	Lever	46753000		
2	Fitting ring	46715000		
3	Cartridge	46580000		
4	Mousseur	06574000		
5	Pop-up rod	46739000		
6	Shank mounting kit	46249000		
7	Waste set 1 1/4"	28910000		
7.1	Plug for waste set 1 1/4"	07182000		
7.2	Eccentric rod	07052000		
8	Mounting wrench	19017000*		
9	Eccentric rod	07341000*		
10	Base plate	48165000*		
* Optional accessories				

Note:

^{*} All information of the above is for the reference only. No prior notice is made if any changes.



自願參與用水效益標籤計劃-水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps



This is to certify that

將下列水龍頭在本計劃內註冊: has registered the following water tap under this scheme:

/ Brand Grohe

/ Model 23450XX1 + 64647040

/ Type Mixing

/ Country or Region Origin Thailand (Mixer)

Germany (Flow Controller) XX - denotes the code of colour

在用水效益標籤上展示的標誌

滴水點 Water droplet(s) Symbolic Presentation on the Water Efficiency Label

用水效益級別

1 Water Efficiency Grade

公升/分鐘 耗水量 4.6 litres/minute Water Consumption

簽發日期: Date of Issue:

11 February 2021





水務署署長(張業駒代行) for Director of Water Supplies



水務署 Water Supplies Department

總部 Headquarters

★港灣仔告士打道七號入境事務大樓 48 樓

migration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

3321/2020 T/J(494/2020)

電話

Tel.

傳真 Fax.

2824 0578

29 June 2020



Approval of "GROHE" Basin Mixer (General Acceptance No. C20200509)

Your letters ref. WRC/2222 and C-WSD/0598 dated 4 May 2020 and 5 June 2020 respectively refer.

Having considered the test report ref. J24748Ar1 issued on 2 June 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Gro

Grohe AG

Country of Origin:

Thailand

Brand:

Grohe

Details of Fitting:

3/8" Single lever basin mixer

Model:

23450XX1

(where the digits "XX" denote the code of colour)

Body Markings:

GROHE

Expiry Date:

23 September 2024





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue ME/MC] - with soft copy only