

## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitarv.com.hk Since 1949 Website: www.acmesanitary.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

### SANITARY WARE SPECIFICATION SHEET

GROHE (Thailand) "BauEdge" Chrome Item Descriptions plated single-lever bath/shower mixer 1/2" Dimensions L166 x W150 x H129 mm Model 23605000 Finish Chrome Plated Country of origin Thailand Manufacturer **GROHE Limited** Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk




# "BauEdge"

## Single-lever bath/shower mixer 1/2"

- wall mounted
- **GROHE Longlife** 35 mm ceramic cartridge
- GROHE StarLight chrome finish
- automatic diverter: bath/shower
- mousseur
- S-unions
- metal wall escutcheon





Note:



48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號

Your ref

(4) in WSD 3321/2021 T/J(792/2021)

電話

Tel.

傳真

: 2824 0578

14 July 2021



## Approval of "GROHE" Bath/Shower Mixer (General Acceptance No. C20210759)

Your letters ref. C-WSD/0770 and C-WSD/0787 dated 6 May 2021 and 21 June 2021 respectively refer.

Having considered the test report ref. 202520PC200136B issued on 17 June 2021 by Fugro Technical Services Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe AG

Country of Origin:

Thailand

Brand:

Grohe

**Details of Fitting:** 

1/2" Single lever bath/shower mixer

Model:

23605XXX

(where "XXX" denote the code of colour)

**Body Markings:** 

GROHE

**Expiry Date:** 

2 August 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(Roger WONG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue ME/MC ] - with soft copy only