



## Acme Sanitary Ware Co Ltd





Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong  
 Tel: 2388 7171 Fax: 2710 8012  
 E-mail: acme@acmesanitary.com.hk  
 Website: www.acmesanitaryware.com.hk



Pure Freude  
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "Atrio" Chrome plated wall mounted cross handles shower mixer 1/2"	Illustration/ Drawing										
Dimensions	L297 x W74 x H57 mm											
Model	26003003											
Finish	Chrome Plated											
Country of origin	Germany											
Manufacturer	GROHE Limited	<p><b>Colour options:</b></p> <table><tr><td>● 003   StarLight Chrome</td><td>● GL3   Cool Sunrise</td></tr><tr><td>● DC3   SuperSteel</td><td>● GN3   Brushed Cool Sunrise</td></tr><tr><td>● DA3   Warm Sunset</td><td>● DL3   Brushed Warm Sunset</td></tr><tr><td>● A03   Hard Graphite</td><td>● BE3   Polished Nickel</td></tr><tr><td>● AL3   Brushed Hard Graphite</td><td>● EN3   Brushed Nickel</td></tr></table>	● 003   StarLight Chrome	● GL3   Cool Sunrise	● DC3   SuperSteel	● GN3   Brushed Cool Sunrise	● DA3   Warm Sunset	● DL3   Brushed Warm Sunset	● A03   Hard Graphite	● BE3   Polished Nickel	● AL3   Brushed Hard Graphite	● EN3   Brushed Nickel
● 003   StarLight Chrome	● GL3   Cool Sunrise											
● DC3   SuperSteel	● GN3   Brushed Cool Sunrise											
● DA3   Warm Sunset	● DL3   Brushed Warm Sunset											
● A03   Hard Graphite	● BE3   Polished Nickel											
● AL3   Brushed Hard Graphite	● EN3   Brushed Nickel											
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen											
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012											
E-mail	acme@acmesanitary.com.hk											
Website	www.acmesanitary.com.hk											
<p><b>"Atrio"</b> <b>shower mixer 1/2 "</b></p> <div></div> <ul style="list-style-type: none"><li>• wall mounted</li><li>• ceramic headparts 1/2", 90°</li><li>• shower outlet 1/2"</li><li>• integrated non-return valves in the shower outlet 1/2"</li><li>• covered S-unions</li><li>• protected against backflow</li><li>• with cross handles</li><li>• Two different sets of caps included. One set with "H" and "C" marking, one set without marking</li></ul> <div><p>26003DC3    26003GL3    26003DA3    26003AL0</p></div>												

Note:  [Unboxing](https://www.youtube.com/watch?v=42b1P9Vo5dc) <https://www.youtube.com/watch?v=42b1P9Vo5dc>

\* All information of the above is for the reference only. No prior notice is made if any changes.



Department

總辦事處  
香港灣仔入境事務大樓 48 樓  
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : ( 2 ) in WSD 3321/2020 T/J(754/2020)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

17 July 2020

### Approval of "GROHE" Shower Mixer (General Acceptance No. C20200589)

Your letter ref. WRC/2086 dated 19 June 2020 refers.

Having considered the test report ref. J24269r1 issued on 16 June 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Grohe AG

**Country of Origin:** Germany

**Brand:** Grohe

**Details of Fitting:** 1/2" Shower mixer

**Model:** 26003XX3  
(where the digits "XX" denote the code of colour)

**Body Markings:** **GROHE**

**Expiry Date:** 28 May 2024



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82    ] - without catalogue  
            ME/MC            ] - with soft copy only