



## Acme Sanitary Ware Co Ltd




Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong  
 Tel: 2388 7171 Fax: 2710 8012  
 E-mail: acme@acmesanitary.com.hk  
 Website: www.acmesanitaryware.com.hk



Pure Freude  
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			LEGEND	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "BauEdgen" Wall mounted chrome plated single lever sink tap; nominated flow rate <b>3.2 L/min</b> in WELS <b>Grade 2</b> ; Registration No. TN 21-0019	Illustration/ Drawing																											
Dimensions	L267 x W50 x H262 mm																												
Model	31228000																												
Finish	Chrome Plated																												
Country of Origin	PRC																												
Manufacturer	GROHE Limited																												
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen																												
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012																												
E-mail	acme@acmesanitary.com.hk																												
Website	www.acmesanitary.com.hk																												
<div>wall mounted metal lever ceramic headpart swivelling tubular spout mousseur <b>GROHE StarLight</b> chrome finish</div> <div><table><tr><td>Dynamic Pressure (Bar)</td><td>0.5</td><td>1.0</td><td>1.5</td><td>2.0</td><td>2.5</td><td>3.0</td><td>3.5</td><td>4.0</td></tr><tr><td>Normal</td><td>8.70</td><td>12.30</td><td>15.00</td><td>17.80</td><td>20.50</td><td>22.70</td><td>24.50</td><td>26.50</td></tr><tr><td>with 40.2058.000</td><td>1.85</td><td>2.80</td><td>3.20</td><td>3.30</td><td>3.30</td><td>3.25</td><td>3.20</td><td>3.20</td></tr></table></div>			Dynamic Pressure (Bar)	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	Normal	8.70	12.30	15.00	17.80	20.50	22.70	24.50	26.50	with 40.2058.000	1.85	2.80	3.20	3.30	3.30	3.25	3.20	3.20
Dynamic Pressure (Bar)	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0																					
Normal	8.70	12.30	15.00	17.80	20.50	22.70	24.50	26.50																					
with 40.2058.000	1.85	2.80	3.20	3.30	3.30	3.25	3.20	3.20																					

Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

TN 21-0019



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps



冊證書

Registration

茲證明

This is to certify that

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme:

牌 子 / Brand	:	Grohe + Neoperl
型 號 / Model	:	31228XXX + 40.2058.000
種 類 / Type	:	Non-mixing
原產地 / Country or Region Origin	:	China (Tap)
		Germany (Flow Controller)

XXX – denotes the code of colour

在用水效益標籤上展示的標誌

*Symbolic Presentation on the Water Efficiency Label*

:



滴水點

*Water droplet(s)*

用水效益級別

*Water Efficiency Grade*

:

2

耗水量

*Water Consumption*

:

3.2

公升/分鐘

*litres/minute*

簽發日期：  
Date of Issue:

8 March 2021



水務署

Water Supplies Department



水務署署長(張業駒代行)  
for Director of Water Supplies



plies Department

總部

吉士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2020 T/J(843/2020)  
Our ref.  
來函檔號 :  
Your ref.


電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

7 October 2020

### Approval of "GROHE" Sink Tap (General Acceptance No. C20200876)

Your letters ref. WRC/2283 and C-WSD/0632 dated 7 July 2020 and 31 August 2020 respectively refer.

Having considered the test report ref. J24776Ar1 issued on 24 April 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Grohe AG  
**Country of Origin:** the Mainland of China  
**Brand:** Grohe  
**Details of Fitting:** 1/2" Single lever sink tap  
**Model:** 31228XXX  
(where the digits "XXX" denote the code of colour)  
**Body Markings:**   
**Expiry Date:** 29 September 2024



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82    ] - without catalogue  
            ME/MC            ] - with soft copy only