



Since 1949

**Acme Sanitary Ware Co. Ltd.**

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong

Tel: 2388 7171 Fax: 2710 8012



Email: acme@acmesanitary.com.hk


Website: www.acmesanitary.com.hk

**NOBILIS®**  
**RUBINETTERIE**


PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Nobili (Italy) "ABC" Single lever sink mixer, Cartridge $\varnothing$ 35 mm, swivel spout, anti-limestone aerator M 16 x 1, $\varnothing$ 3/8" stainless steel flexible hoses; nominated flow rate <b>5 L/min</b> in WELS <b>Grade 1</b> ; Registration No. TM 18-0197	Illustration/ Drawing
Standard	QAVR (Italy) 	
Dimensions	L235 x W50 x H325 mm	
Model	AB87134N4CR (Mixer) 44.3051.000 (Aerator)	
Finish	Chrome Plated	
Manufacturer	Nobili (Italy)	
Source	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	



Dynamic flow pressure (kPa)	50	150	250	350	500	600
Flow rate (l/min)	3.05	4.90	5.48	4.70	4.90	5.19



Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 18-0197



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明  
This is to certify that

Acme Sanitary Ware Co. Ltd.

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

牌 子 / Brand	:	NOBILI
型 號 / Model	:	AB87134N4 CR + 44.3051.000
種 類 / Type	:	Mixing
原產地 / Country or Region Origin	:	Italy

在用水效益標籤上展示的標誌

*Symbolic Presentation on the Water Efficiency Label* :



滴水點

*Water droplet(s)*

用水效益級別

*Water Efficiency Grade* :

1

耗水量

*Water Consumption* :

5

公升/分鐘

*litres/minute*

簽發日期：  
Date of Issue:

6 August 2018



水務署  
Water Supplies Department



水務署署長(鍾兆榮代行)  
for Director of Water Supplies



水務署  
Water Services Department



境事務大樓 48 樓

Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2021 T/J(1908/2021)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

11 February 2022



**Approval of "NOBILI" Sink Mixer  
(General Acceptance No. C20220125)**

Your letters both ref. KHL-Let-211231-AB87134N4 dated 31 December 2021 and 21 January 2022 refer.

Having considered the test report ref. J27421Ar1 issued on 18 January 2022 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Carlo Nobili SpA Rubinetterie

**Country of Origin:** Italy

**Brand:** Nobili

**Details of Fitting:** 3/8" Single lever sink mixer

**Model:** AB87134N4XX  
(where "XX" denote code of colour and finish)

**Body Markings:** **NOBILI** 

**Expiry Date:** 2 December 2026



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)  
for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82    ] - without catalogue  
            ME/MC            ] - with soft copy only