

E-mail: acme@acmesanitary.com.hk Website: www. acmesanitaryware.com.hk

American Standard

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	American Standard (PRC) "Concept Square"					Illustration/ Drawing		
	Chrome plated bath/shower mixer;					用水效益標值		
	nominated flow rate 7.8 L/min in WELS Grade 1 ; Registration No. SB 18-0090					Efficiency Label		
	Grade 1; K	egistrati	on No. S	SB 18-00	J9U			
Dimensions	L176 x W16	55 x H94	4 mm		R 79 1			
Model	CF-0411.60	1.50			CAS SOLIPE OF			
Material/Finish	Brass/ Chrome Plated							
Manufacturer	American Standard (PRC)							
Source	Acme Sanitary Ware Co. Ltd							
	Mr. Eric Wong/ Mr. Don Yuen							
		-						
Contact Tel/Fax	(852) 2388-	7171 / (852) 271	10-8012				
E-mail	acme@acme	esanitar	y.com.hl	ζ.				
Website	www.acmes	anitary.	com.hk					
9.00						5 5		
8.00						29		
7.00								
.⊑ 6.00						G 1/2"		
5.00						18		
4.00						135~165		
in 6.00 25 4.00 3.00 1 3.00						G1/2" Ø70 G5 A7 WARE G1/2"		
2.00						5		
1.00						15		
0.00	200	300	400	500	600	25		
	Dynamic flo				-20	\mathbb{H}		
			,					
Dynamic flow pressure (kPa) 50 150 250 350 500				500				

Note:

Flow rate (1/min)

7.40

7.80

8.10

8.40

4.15

^{*} All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

SB 18-0090



自願參與用水效益標籤計劃 - 沐浴花灑 Voluntary Water Efficiency Labelling Scheme - Showers for Bathing



茲證明 This is to certify that

將下列花灑在本計劃內註冊: has registered the following shower under this scheme:

牌 子 / Brand

American Standard

型 號 / Model

CF-9H03.000.50

原產地 / Country or Region Origin

China

在用水效益標籤上展示的標誌

Symbolic Presentation on the Water Efficiency Label

· 滴水點 Water droplet(s)

用水效益级别

Water Efficiency Grade

: 1

耗水量

Water Consumption

: 7.8

公升/分鐘 litres/minute

簽發日期: Date of Issue:

27 April 2018





水務署署長(周世威代行) for Director of Water Supplies



48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號

Your ref.

: (2) in WSD 3321/18 Pt.1 T/J(509)

電話

Tel.

傳真 Fax.

: 2824 0578

19 July 2018

Approval of "AMERICAN STANDARD" Bath/Shower Mixers (General Acceptance No. C20180425)

Your letter ref. WRC/1780 dated 16 May 2018 refers.

Having considered the test report ref. J22785 issued on 12 April 2018 by Nutek Systems (HK) Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

American Standard

Country of Origin:

China

Brand:

American Standard

Details of Fitting:

1/2" Single lever bath and shower mixer

Model:

CF-0411.601.50

WF-0411.601.50

Body Markings:

American Standard

Expiry Date:

30 March 2023





This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fittings shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fittings, unless other specified.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue ME/MC] - with soft copy only