

## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk

# American Standard

Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Website: www.acmesanitary.com.hk

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	American Standard (PRC) "EasySET" Innovative			
	exposed <b>push button thermostatic</b> shower mixer			
	with adjustable flow rate, life cycle >300,000 times			
	& swivel bath spout to provide the space flexibility			
	and ease of use; <b>Germany</b> thermostatic cartridge;			
	anti-scald safestop button; matt black shower head			
	and 3 functions hand spray with <b>instinctive button</b>			
	for switching between spray modes; PVC twist-free			
	shower hose; built-in two side hooks			
M 1 1	FEAGA056 (01 AA0DG0			
Model	FFAS4956-601440BC0			
Finish / Material	Matt Black / Brass			
Manufacturer	American Standard (PRC)			
Manufacturer	American Standard (FRC)			
Supplier	Acme Sanitary Ware Co. Ltd			
	Mr. Eric Wong/ Mr. Wilson Hung			
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012			
E-mail	acme@acmesanitary.com.hk			
Website	www.acmesanitary.com.hk			

#### FEATURES

- · Germany thermostatic cartridge
- Anti-scald safestop button
- Push button cartridge with flow rate adjustable from Japan, lifecycle≥300,000 times
- Plastic body with cool touch design, no risk of scalding on the body
- Designed with a shelf space for storage function
- Side Hook on both side, as a shower accessories and drain the water on the top of Casting brass spout, rotate to divert the water to hand shower and spout
- 3-functions Rain Click hand shower, instinctive button for switching between spray modes
- PVC Silver twist-free shower hose
- With easy glide shower holder
- With normal packaging
- 307\*189 rectangle head shower, with air-in function

#### PUSH

Imagine a rejuvenating shower experience as intuitive and simple as breathing. From the cascading water from the Rainshower to the invigorating Hand Shower, all activated individually with a simple push of a button.

### TURN

Be in total control of both the temperature and volume of the water to create your own perfect shower. Choose a stronger flow of water to ease muscle tensions or a more sensuous flow for that relaxing spa-like pampering. All with an easy turn of the dial.



<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.



## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk

# American Standard

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET



Note:

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.



## Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk

# American Standard

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET



#### **PUSH & TURN**

Dial adjusts water volume easily and offers daily convenience at the push of a button.



## THERMOCOMFORT

Provides a constant and comfortable temperature.



## **EASYGLIDE**

Hand shower holder that allows you to easily adjust its height, single-handedly.



## **THERMOSAFE**

Safety temperature control up to 49°C, with an auto shut-off function when cold water supply fails.



## EASYCLICK

An instinctive button for switching between spray modes.



## SPACECREATE

Creates extra usable space in the bathroom.



## SWIVEL 360°

360° spout provides space flexibility and ease of use,



### **AIRNERGIZE**

Air-infused water provides a luxurious shower experience while using lesser water.



## COOLSHIELD

Body of faucet stays cool and prevents scalding shocks.







٦	⊾ т		
ı	N	$\mathbf{C}$	tΔ
	N	١,	11.

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.